

PRELIMINÄR PRISLISTA NYHETER 2023 - ÅTERFÖRSÄLJARE

COMPOSE SHADE XL




Shade XL diameter 350 mm. White RAL 9016, black RAL 9005, grey RAL 9007, green RAL 6020. Other colours on request.

Design Jens Fager 2023

ART	BESKRIVNING		PRIS/SEK
S16200501	COMPOSE plåtskärm D350 vit	D350 mm	1 456
S16200506	COMPOSE plåtskärm D350 svart	D350 mm	1 456
S16200511	COMPOSE plåtskärm D350 grå	D350 mm	1 456
S16200512	COMPOSE plåtskärm D350 grön	D350 mm	1 456

COMPOSE TABLE



Base in painted aluminum. White RAL 9016, black RAL 9005, grey RAL 9007, green RAL 6020. Shades in painted metal, perforated metal or raw/untreated brass or copper. Textile cable in matching colour. With opal diffuser. Other colours on request.

LED info Including dimmable LED retrofit light source 4,9W 2700K.

Connection 2,5 m cable with plug and switch.

Design Jens Fager 2023

ART	BESKRIVNING		PRIS/SEK
16212101-27	COMPOSE bord vit/comfort light	IP20 LED/4,9W/GU10/225LM	5 106
16212106-27	COMPOSE bord svart/comfort light	IP20 LED/4,9W/GU10/225LM	5 106
16212111-27	COMPOSE bord grå/comfort light	IP20 LED/4,9W/GU10/225LM	5 106
16212112-27	COMPOSE bord grön/comfort light	IP20 LED/4,9W/GU10/225LM	5 106
Metallskärmar			
S16200101	COMPOSE plåtskärm smal vit str	Ø95/H58 mm	861
S16200106	COMPOSE plåtskärm smal svart str	Ø95/H58 mm	861
S16200111	COMPOSE plåtskärm smal grå	Ø95/H58 mm	861
S16200112	COMPOSE plåtskärm smal grön str	Ø95/H58 mm	861
S16200178	COMPOSE kopparskärm smal	Ø95/H58 mm	1 522
S16200180	COMPOSE mässingskärm smal	Ø95/H58 mm	1 557
S16200301	COMPOSE plåtskärm bred vit str	Ø195/H50 mm	879
S16200306	COMPOSE plåtskärm bred svart str	Ø195/H50 mm	879
S16200311	COMPOSE plåtskärm bred grå	Ø195/H50 mm	879
S16200312	COMPOSE plåtskärm bred grön str	Ø195/H50 mm	879
S16200378	COMPOSE kopparskärm bred	Ø195/H50 mm	1 549
S16200380	COMPOSE mässingskärm bred	Ø195/H50 mm	1 605
Perforerade skärmar			
S16210312	COMPOSE perfoskärm bred grön str	Ø195/H50 mm	1 361
S16210311	COMPOSE perfoskärm bred grå	Ø195/H50 mm	1 361
S16210306	COMPOSE perfoskärm bred svart str	Ø195/H50 mm	1 361
S16210301	COMPOSE perfoskärm bred vit str	Ø195/H50 mm	1 361

COMPOSE FLOOR



Base in painted aluminum. White RAL 9016, black RAL 9005, grey RAL 9007, green RAL 6020. Shades in painted metal, perforated metal or raw/untreated brass or copper. Textile cable in matching colour. With opal diffuser. Other colours on request.

LED info Including dimmable LED retrofit light source 4,9W 2700K.

Connection 2,5 m cable with plug and switch.

Design Jens Fager 2023

ART	BESKRIVNING		PRIS/SEK
16214101-27	COMPOSE golv vit/comfort light	IP20 LED/4,9W/GU10/225LM	5 492
16214106-27	COMPOSE golv svart/comfort light	IP20 LED/4,9W/GU10/225LM	5 492
16214111-27	COMPOSE golv grå/comfort light	IP20 LED/4,9W/GU10/225LM	5 492
16214112-27	COMPOSE golv grön/comfort light	IP20 LED/4,9W/GU10/225LM	5 492
Metallskärmar			
s16200101	COMPOSE plåtskärm smal vit str	Ø95/H58 mm	861
S16200106	COMPOSE plåtskärm smal svart str	Ø95/H58 mm	861
S16200111	COMPOSE plåtskärm smal grå	Ø95/H58 mm	861
S16200112	COMPOSE plåtskärm smal grön str	Ø95/H58 mm	861
S16200178	COMPOSE kopparskärm smal	Ø95/H58 mm	1 522
S16200180	COMPOSE mässingskärm smal	Ø95/H58 mm	1 557
S16200301	COMPOSE plåtskärm bred vit str	Ø195/H50 mm	879
S16200306	COMPOSE plåtskärm bred svart str	Ø195/H50 mm	879
S16200311	COMPOSE plåtskärm bred grå	Ø195/H50 mm	879
S16200312	COMPOSE plåtskärm bred grön str	Ø195/H50 mm	879
S16200378	COMPOSE kopparskärm bred	Ø195/H50 mm	1 549
S16200380	COMPOSE mässingskärm bred	Ø195/H50 mm	1 605
S16200501	COMPOSE plåtskärm D350 vit	D350/	1 456
S16200506	COMPOSE plåtskärm D350 svart	D350/	1 456
S16200511	COMPOSE plåtskärm D350 grå	D350/	1 456
S16200512	COMPOSE plåtskärm D350 grön	D350/	1 456
Perforerade skärmar			
S16210312	COMPOSE perfoskärm bred grön str	Ø195/H50 mm	1 361
S16210311	COMPOSE perfoskärm bred grå	Ø195/H50 mm	1 361
S16210306	COMPOSE perfoskärm bred svart str	Ø195/H50 mm	1 361
S16210301	COMPOSE perfoskärm bred vit str	Ø195/H50 mm	1 361

COMPOSE WALL



Base in painted aluminum. White RAL 9016, black RAL 9005, grey RAL 9007, green RAL 6020. Shades in painted metal, perforated metal or raw/untreated brass or copper. Textile cable in matching colour. With opal diffuser. Other colours on request.

Installation On wall.

LED info Including dimmable LED retrofit light source 4,9W 2700K.

Connection 2,5 m cable with plug and switch.

Design Jens Fager 2023

ART	BESKRIVNING		PRIS/SEK
16228101-27	COMPOSE vägg vit/comfort light	IP20 LED/4,9W/GU10/225LM	4 347
16228106-27	COMPOSE vägg svart/comfort light	IP20 LED/4,9W/GU10/225LM	4 347
16228111-27	COMPOSE vägg grå/comfort light	IP20 LED/4,9W/GU10/225LM	4 347
16228112-27	COMPOSE vägg grön/comfort light	IP20 LED/4,9W/GU10/225LM	4 347
Metallskärmar			
s16200101	COMPOSE plåtskärm smal vit str	O95/H58 mm	861
S16200106	COMPOSE plåtskärm smal svart str	O95/H58 mm	861
S16200111	COMPOSE plåtskärm smal grå	O95/H58 mm	861
S16200112	COMPOSE plåtskärm smal grön str	O95/H58 mm	861
S16200178	COMPOSE kopparskärm smal	O95/H58 mm	1 522
S16200180	COMPOSE mässingskärm smal	O95/H58 mm	1 557
S16200301	COMPOSE plåtskärm bred vit str	O195/H50 mm	879
S16200306	COMPOSE plåtskärm bred svart str	O195/H50 mm	879
S16200311	COMPOSE plåtskärm bred grå	O195/H50 mm	879
S16200312	COMPOSE plåtskärm bred grön str	O195/H50 mm	879
S16200378	COMPOSE kopparskärm bred	O195/H50 mm	1 549
S16200380	COMPOSE mässingskärm bred	O195/H50 mm	1 605
Perforerade skärmar			
S16210312	COMPOSE perfoskärm bred grön str	O195/H50 mm	1 361
S16210311	COMPOSE perfoskärm bred grå	O195/H50 mm	1 361
S16210306	COMPOSE perfoskärm bred svart str	O195/H50 mm	1 361
S16210301	COMPOSE perfoskärm bred vit str	O195/H50 mm	1 361

LUMO CATENARY IP65



Finish Painted die-cast aluminum in black RAL 9005. Other colours on request. Microprismatic diffuser. Delivered excluding cable and wire.

LED info System power: 22W. Luminaire Luminous Flux: 1690LM. CCT 3000K. SDCM 3. CRI 90. L70/55000H.

Installation On wire, 3-6 mm.

Connection Terminalblock 3x4 mm². When DALI 5x4mm².

Double conduit entry.

Design Thomas Bernstrand 2023.

ART	BESKRIVNING		PRIS/SEK
12138106-30	LUMO vajerpendel D250 svart	IP65 LED/22W/1690LM/3000K	8 556
12138106D30	LUMO vajerpendel D250 svart	IP65 LED/22W/1690LM/3000K DALI	9 902

D = DALI

LUMO WALL IP65



Finish Painted die-cast aluminum in black RAL 9005. Other colours on request. Diffuser in matt acrylic. Can be ordered with diffuser in microprisma. Textile cable in matching colour

LED info System power: 10W. Luminaire Luminous Flux: 830LM. CCT 3000K. SDCM 3. CRI 90. L70/55000H.

Installation On wall.

Connection Terminalblock 3x4 mm². When DALI 5x4mm².

Design Thomas Bernstrand 2023.

ART	BESKRIVNING		PRIS/SEK
12140106-30	LUMO vägg D250 svart	IP65 LED/10W/830LM/3000K	7 383
12140106D30	LUMO vägg D250 svart	IP65 LED/10W/830LM/3000K DALI	8 535

D = DALI.

SPRINKLE



Finish Aluminum and steel. Painted oysterwhite RAL 1013, black RAL 9005, blue RAL 2806035, red RAL 1013, ochre yellow RAL 1024, brown RAL 070420. Other colours on request. Microprismatic diffuser.

Textile cord in matching colour.

LED info: LED 20W 3000K

Installation In 2 x ceiling-hook. 2,5 m wire. Including ceiling cup.

Connection DCL-plug or terminal block 3x2,5mm².

Design Note Design Studio 2023.

ART	BESKRIVNING		PRIS/SEK
12304306-30	SPRINKLE pendel L1240 svart	IP20 LED/20W/3000K	13 455
12304306D30	SPRINKLE pendel L1240 svart	IP20 LED/20W/3000K Dali	13 669
12304307-30	SPRINKLE pendel L1240 röd	IP20 LED/20W/3000K	13 455
12304307D30	SPRINKLE pendel L1240 röd	IP20 LED/20W/3000K Dali	13 669
12304308-30	SPRINKLE pendel L1240 blå	IP20 LED/20W/3000K	13 455
12304308D30	SPRINKLE pendel L1240 blå	IP20 LED/20W/3000K Dali	13 669
12304309-30	SPRINKLE pendel L1240 ostronvit	IP20 LED/20W/3000K	13 455
12304309D30	SPRINKLE pendel L1240 ostronvit	IP20 LED/20W/3000K Dali	13 669
12304345-30	SPRINKLE pendel L1240 brun	IP20 LED/20W/3000K	13 455
12304345D30	SPRINKLE pendel L1240 brun	IP20 LED/20W/3000K Dali	13 669
12304355-30	SPRINKLE pendel L1240 okragul	IP20 LED/20W/3000K	13 455
12304355D30	SPRINKLE pendel L1240 okragul	IP20 LED/20W/3000K Dali	13 669

SPRINKLE FLOOR



Finish Aluminum and steel. Painted oysterwhite RAL 1013, black RAL 9005, blue RAL 2806035, red RAL 1013, ochre yellow RAL 1024, brown RAL 070420. Other colours on request. Textile cord in matching colour.

LED info: Including dimmable led lightsource 4,9W,6,2W/GU10 CRI 90.

Connection 2,5 m cable with plug and switch.

Design Note Design Studio 2023.

ART	BESKRIVNING		PRIS/SEK
12302106	SPRINKLE golv svart	IP20 LED/GU10/Max 7W	7 390
12302107	SPRINKLE golv röd	IP20 LED/GU10/Max 7W	7 390
12302108	SPRINKLE golv blå	IP20 LED/GU10/Max 7W	7 390
12302109	SPRINKLE golv ostronvit	IP20 LED/GU10/Max 7W	7 390
12302145	SPRINKLE golv brun	IP20 LED/GU10/Max 7W	7 390
12302155	SPRINKLE golv okragul	IP20 LED/GU10/Max 7W	7 390

SPRINKLE BOLLARD



Finish Aluminum and steel. Painted black RAL 9005. Other colours on request.
Prismatic diffuser.

LED info: LED 12W, 3000K.

Installation: Fits buried foundation D 108 mm or with installation plate for installation above ground

Connection Fuse-box/terminal block 5x25mm².

Design Note Design Studio 2023.

ART	BESKRIVNING		PRIS/EUR
12305106	SPRINKLE pollare svart	IP65 LED/10W/3000K	13 731