

se:kit

The office swivel chair for everyone. Its mix-and-match character makes it highly customisable and adaptable according to the target group as well as price segment. At the same time, the requirements for comfort, sustainability, diversity and design are met.

sedus



Swivel chair, backrest with membrane cover from 5.949 kr



Swivel chair with upholstered backrest 6.217 kr



Swivel partner chair with membrane cover from 7.552 kr



Swivel partner chair with upholstered beckrest 7.819 kr



Visitor chairs from 4.310 kr

Sedus se:kit

► Swivel chair, backrest with membrane cover

9	4	2	1	0
Atlantic	Connect	Remix	Morph	Leather
Era	Cura	Tempt	Steelcut Trio 3	
Nova	Fame			
Phoenix	Step			
Customer's Own	Imitation leather			



sn-121	7.310 kr	8.038 kr	8.767 kr	9.495 kr	10.709 kr
---------------	----------	----------	----------	----------	-----------




sn-122	7.710 kr	8.081 kr	8.778 kr	9.476 kr	10.639 kr
---------------	----------	----------	----------	----------	-----------



sn-123	7.844 kr	8.572 kr	9.301 kr	10.029 kr	11.243 kr
---------------	----------	----------	----------	-----------	-----------

Upholstery	Art. Number	Add on	Seat	Art. Number	Add on
Seat upholstered, backrest with membrane cover	7201-M**		Standard seat (not possible with Steelcut Trio 3 collection)	4500	
Model colour / plastic parts			Sliding seat (60 mm adjustment range) (with Kinetic-Swing mechanism 1113, not possible with Steelcut Trio 3 collection)	4502	364 kr
black	103		Sliding seat (70 mm adjustment range) (with mechanism 1112/1114/1115, not possible with Steelcut Trio 3 collection)	4509	364 kr
light grey	147	449 kr	Comfort seat	4511	364 kr
Lumbar support			Comfort sliding seat (60 mm adjustment range) (with Kinetic-Swing mechanism 1113)	4513	1 032 kr
No lumbar support	1800		Comfort sliding seat (70 mm adjustment range) (with mechanism 1112/1114/1115)	4512	1 032 kr
Lumbar height adjustment with adaptive depth adjustment (sn-121, sn-123)	1803	339 kr	Mechanism		
Armrests			Similar mechanism with automatic weight adjustment	1112	
2D armrests with plastic covers	3211		Kinetic-Swing mechanism	1113	-182 kr
Height-adjustable plastic armrests	3611	-242 kr	Similar mechanism with individual weight adjustment	1114	328 kr
2D design armrests with PUR covers	3294	364 kr	Similar mechanism with individual weight adjustment and forward tilt	1115	571 kr
3D armrests with PUR covers, width adjustable without tools	3914	364 kr			
4D armrests with soft-touch covers	3414	728 kr			
Without armrests	3000	-1 178 kr			



Recommended retail prices in Euro exclusive of VAT (2023.05). All dimensions in mm. The product pictured has been measured according to the new EN 1335-1:2020 standard.

Sedus se:kit

► Swivel chair, backrest with membrane cover

Seat height-adjustment	Art. Number	Add on
Gaslift	1503	
Sedo-lift mechanism III	1514	607 kr
Gaslift for counter design with footring (sn-121, sn-122)	1513	2.695 kr

Base

5-star plastic base black	2415-103	
5-star plastic base light grey	2415-147	
5-star aluminium base black	2215-103	546 kr
5-star aluminium base light grey	2215-147	546 kr
5-star aluminium base polished	2215-110	1.214 kr

Castors / Glides

Hard castors for soft flooring	2700	
Soft castors for hard flooring	2701	
Constantly braked castors (in combination with counter design, always with protection for castors)	2704	

Protection for castors

With protection for castors	6216	
Without protection for castors (only selectable with base colour black)	6226	

Fire protection

Without fire protection	0000	
Fire protection version (possible in combination with the cover fabrics Step or Fame)	6004	121 kr

Accessories

No accessories	0000	
Coat hanger	6103	485 kr
Neck support with height and tilt adjustment – in black or light grey imitation leather (colour is defined by the model colour)	7007	1.760 kr
Set neck support/coat hanger	6237	2.246 kr
Model prepared for retrofitting the accessories	6235	60 kr

Membrane cover in the colours:
M5A anthracite, M5B sage, M5C melon, M5D beige, M5E light grey

Counter design for models sn-121 and sn-122 in conjunction with:

- Mechanism (1112, 1113, 1114)
- Gaslift for counter design with footring (1513)
- Aluminium base (2215)
- Constantly braked castors (2704)
- Seat (4500, 4511)

Please note the information about the fabrics Morph and Steelcut Trio 3 of the Elegance Line on the page 'Covering materials'.

For the standard seat (4500/4502/4509), the following fabrics are excluded from the product range: Customer's Own, Steelcut Trio 3

DIN EN-1335:2022

To comply with type A, the following components must be selected: 4D armrests (3414), sliding seat (4509 or 4512), Similar mechanism (1112, 1114 or 1115), gaslift (1503). All other configurations correspond to type B.

Sedus se:kit

► Swivel chair with upholstered backrest

9	4	2	1	0
Atlantic	Connect	Remix	Morph	Leather
Era	Cura	SILVERTEX	Steelcut Trio 3	
Nova	Fame	Tempt		
Phoenix	Step			
Customer's Own	Imitation leather			



sn-101

7.576 kr

8.305 kr

9.033 kr

9.762 kr

10.976 kr



sn-102

7.965 kr

8.694 kr

9.422 kr

10.151 kr

11.365 kr



sn-103

8.099 kr


8.827 kr

9.556 kr

10.284 kr

11.499 kr

Upholstery	Art. Number	Add on	Armrests	Art. Number	Add on
Seat and backrest upholstered	7103		2D armrests with plastic covers	3211	
Backrest			Height-adjustable plastic armrests	3611	-242 kr
Cover backrest as seat (code 7103)	0000		2D design armrests with PUR covers	3294	364 kr
Differer cover for backrest (code 7103)	7001	364 kr	3D armrests with PUR covers, width adjustable without tools	3914	364 kr
Model colour / plastic parts			4D armrests with soft-touch covers	3414	728 kr
black	103		Without armrests	3000	-1.178 kr
light grey	147	449 kr			
Lumbar support					
No lumbar support	1800				
Lumbar height adjustment with adaptive depth adjustment (sn-101, sn-103)	1803	339 kr			



Recommended retail prices in Euro exclusive of VAT (2023.05). All dimensions in mm. The product pictured has been measured according to the new EN 1335-1:2020 standard.

Sedus se:kit

► Swivel chair with upholstered backrest

Seat	Art. Number	Add on
Standard seat (not possible with Steelcut Trio 3 collection)	4500	
Sliding seat (60 mm adjustment range) (with Kinetic-Swing mechanism 1113, not possible with Steelcut Trio 3 collection)	4502	364 kr
Sliding seat (70 mm adjustment range) (with mechanism 1112/1114/1115, not possible with Steelcut Trio 3 collection)	4509	364 kr
Comfort seat	4511	667 kr
Comfort sliding seat (60 mm adjustment range) (with Kinetic-Swing mechanism 1113)	4513	1.032 kr
Comfort sliding seat (70 mm adjustment range) (with mechanism 1112/1114/1115)	4512	1.032 kr
Mechanism		
Similar mechanism with automatic weight adjustment	1112	
Kinetic-Swing mechanism	1113	-182 kr
Similar mechanism with individual weight adjustment	1114	328 kr
Similar mechanism with individual weight adjustment and forward tilt	1115	571 kr
Seat height-adjustment		
Gaslift	1503	
Sedo-lift mechanism III	1514	607 kr
Gaslift for counter design with footring (sn-101, sn-102)	1513	2.695 kr
Base		
5-star plastic base black	2415-103	
5-star plastic base light grey	2415-147	
5-star aluminium base black	2215-103	546 kr
5-star aluminium base light grey	2215-147	546 kr
5-star aluminium base polished	2215-110	1.214 kr
Castors / Glides		
Hard castors for soft flooring	2700	
Soft castors for hard flooring	2701	
Constantly braked castors (in combination with counter design, always with protection for castors)	2704	
Protection for castors		
With protection for castors	6216	
Without protection for castors (only selectable with base colour black)	6226	
Fire protection		
Without fire protection	0000	
Fire protection version – possible in combination with the cover fabrics Step or Fame	6004	182 kr
Accessories		
No accessories	0000	
Coat hanger	6103	485 kr
Neck support with height and tilt adjustment – in black or light grey imitation leather (colour is defined by the model colour)	7007	1.760 kr
Set neck support/coat hanger	6237	2.246 kr
Model prepared for retrofitting the accessories	6235	60 kr

Counter design for models sn-101 and sn-102 in conjunction with:

- Mechanism code 1112, 1113, 1114
- Gaslift for counter design with footring code 1513
- Aluminium base code 2215
- Constantly braked castors code 2704
- Seat code 4500, 4511

Please note the information about the fabrics Morph and Steelcut Trio 3 of the Elegance Line on the page 'Covering materials'.

For the standard seat (code 4500/4502/4509), the following fabrics are excluded from the product range: Customer's Own, Steelcut Trio 3

DIN EN-1335:2022

To comply with typ A, the following components must be selected: 4D armrests

(3414), sliding seat (4509 or 4512), Similar mechanism (1112, 1114 or 1115), gaslift (1503). All other configurations correspond to type B.

Sedus se:kit

► Swivel partner chair with membrane cover

9		4	2	1	0
Atlantic		Connect	Remix	Morph	Leather
Era		Cura	Temp	Steelcut Trio 3	
Nova		Fame			
Phoenix		Step			
Customer's Own		Imitation leather			



sn-271

8.099 kr

8.827 kr

9.556 kr

10.284 kr

11.499 kr



sn-273

8.669 kr


9.397 kr

10.126 kr

10.854 kr

12.069 kr

Upholstery	Art. Number	Add on	Base	Art. Number	Add on
Seat upholstered, backrest with membrane cover	7201-M**		4-star aluminium base black	2214-103	
			4-star aluminium base light grey	2214-147	
Model colour / plastic parts			4-star aluminium base polished	2214-110	667 kr
black	103		5-star aluminium base black	2215-103	
light grey	147	449 kr	5-star aluminium base light grey	2215-147	
Armrests			5-star aluminium base polished	2215-110	667 kr
2D design armrests with PUR covers	3294		5-star plastic base black	2415-103	-546 kr
			5-star plastic base light gray	2415-147	-546 kr
Seat			Castors / Glides		
Standard seat (not possible with Steelcut Trio 3 collection)	4500		Felt glides (4-star aluminium base)	2801	
Comfort seat	4511	667 kr	Plastic glides (4-star aluminium base)	2800	
			Hard castors soft flooring	2700	
			Soft castors fpr hard flooring	2701	
Mechanism			Protection for castors		
Kinetic-Swich mechanism			With protection for castors	6216	
Seat height-adjustment	1113		Without protection for castors	6226	
Gaslift	1503				
Sedo-lift mechanism III	1514	607 kr	Fire protection		
			Without fire protection	0000	
			Fire protection version - possible in combination with the cover fabrics Step or Fame	6004	121 kr



Recommended retail prices in Euro exclusive of VAT (2023.05). All dimensions in mm. The product pictured has been measured according to the new EN 1335-1:2020 standard.

Sedus se:kit

▶ Swivel partner chair with membrane cover

Membrane cover in the colours:

M5A anthracite, M5B sage, M5C melon, M5D beige, M5E light grey

Please note the information about the fabrics Morph and Steelcut Trio 3 of the Elegance Line on the page ‚Covering materials‘.

For the standard seat (code 4500), the following fabrics are excluded from the product range: Customer's Own, Steelcut Trio 3

Sedus se:kit

► Swivel partner chair with upholstered backrest

9	4	2	1	0
Atlantic	Connect	Remix	Morph	Leather
Era	Cura	SILVERTEX	Steelcut Trio 3	
Nova	Fame	Tempt		
Phoenix	Step			
Customer's Own	Imitation leather			



sn-201

8.365 kr

9.094 kr

9.810 kr

10.551 kr

11.765 kr



sn-203

8.936 kr

9.665 kr

10.939 kr


11.122 kr

12.336 kr

Upholstery	Art. Number	Add on	Base	Art. Number	Add on
Seat and backrest upholstered	7103		4-star aluminium base black	2214-103	
			4-star aluminium base light grey	2214-147	
Backrest			4-star aluminium base polished	2214-110	667 kr
Cover backrest as seat (code 7103)	0000		5-star aluminium base black	2215-103	
Different cover for backrest (code 7103)	7001	364 kr	5-star aluminium base light grey	2215-147	
Model colour / plastic parts			5-star aluminium base polished	2215-110	667 kr
black	103		5-star plastic base black	2415-103	-546 kr
light grey	147	449 kr	5-star plastic base light gray	2415-147	-546 kr
Armrests			Castors / Glides		
2D design armrests with PUR covers	3294		Felt glides (4-star aluminium base)	2801	
			Plastic glides (4-star aluminium base)	2800	
Seat			Hard castors soft flooring	2700	
Standard seat (not possible with Steelcut Trio 3 collection)	4500		Soft castors for hard flooring	2701	
Comfort seat	4511	667 kr	Protection for castors		
			With protection for castors	6216	
Mechanism			Without protection for castors	6226	
Kinetic-Swivch mechanism	1113		Fire protection		
			Without fire protection	0000	
Seat height-adjustment			Fire protection version - possible in combination with the cover fabrics Step or Fame	6004	121 kr
Gaslift	1503				
Sedo-lift mechanism III	1514	607 kr			

Please note the information about the fabrics Morph and Steelcut Trio 3 of the Elegance Line on the page. Covering materials

For the standard seat (code 4500), the following fabrics are excluded from the product range: Customer's Own, Steelcut Trio 3



Recommended retail prices in Euro exclusive of VAT (2023.05). All dimensions in mm. The product pictured has been measured according to the new EN 1335-1:2020 standard.

Sedus se:kit

► Visitors chair

	9		4	2	1
	Atlantic Era Nova Phoenix Customer's Own		Connect Cura Fame Step Imitation leather	Remix Temp	Morph Steelcut Trio 3




sn-220	4.310 kr	4.747 kr	5.026 kr	5.901 kr
---------------	----------	----------	----------	----------



sn-230	4.310 kr	4.747 kr	5.026 kr	5.901 kr
---------------	----------	----------	----------	----------

Upholstery	Art. Number	Add on	Frame sn-230	Art. Number	Add on
Seat upholstered, backrest with membrane cove	7201-M**		Steel frame stackable black	8001-103	
Seat and backrest upholstered	7103-9**	449 kr	Steel frame stackable light grey	8001-147	
Seat and backrest upholstered	7103-4**	885 kr	Steel frame stackable chromed	8001-100	680 kr
Seat and backrest upholstered	7103-2**	1.165 kr	Steel frame stackable black	8001-103	
Seat and backrest upholstered	7103-1**	2.039 kr	Steel frame stackable light grey	8001-147	
			Steel frame stackable chromed	8001-100	680 kr
Backrest			Castors / Glides sn-220		
Cover backrest as seat (code 7103)	0000		Stainless stell glides	2802	
Different cover for backrest (code 7103)	7001	364 kr	Plastic glides	2800	
Model colour / plastic parts			Castors / Glides sn-230		
black	103		Without glides	0000	
light grey	147	194 kr	Plastic glides	2800	133 kr
			Felt glides	2801	133 kr
Armrests			Fire protection		
Without armrests	2000		Without fire protection	0000	
Fixed armrests made of plastic	3110	424 kr	Fire protection version - possible in combination with membrane cover (7201-M**) and the fabrics Step or fame	6004	121 kr
Frame sn-220					
Steel frame stackable black	8001-103				
Steel frame stackable light grey	8001-147				
Steel frame stackable chromed	8001-100	680 kr			



Recommended retail prices in Euro exclusive of VAT (2023.05). All dimensions in mm. The product pictured has been measured according to the new EN 1335-1:2020 standard.

Sedus se:kit

► Accessories



sn-001/7007
Neck support with
height and tilt
adjustment

1.760 kr



sn-010/6103
Coat hanger

485 kr



sn-001/6237
Set neck support/ coat
hanger

2.246 kr

The coat hanger is available in model colour back (103) or light grey (147).

The neck support is available in the model colour black (103) with black imitation leather or in the model colour light grey (147) with light grey imitation leather

Sedus se:kit specification

► Swivel chair, backrest with membrane cover

Basic model	<ul style="list-style-type: none">- Back covered with a 3D knitted membrane, 2D armrests with plastic covers, standard seat, Similar mechanism with automatic weight adjustment, gaslift, 5-star plastic base, model colour black, hard castors for soft flooring, with protection for castors
--------------------	--

Backrest	<ul style="list-style-type: none">- Large, ergonomically shaped backrest, suitable for any body size- Back covered with a 3D knitted membrane, air- and moisture-permeable, wrinkle free- Plastic frame in the selected model colour- Height adjustment of backrest 70 mm (sn-122), lumbar height adjustment with additional depth adjustment available (sn-121/sn-123)- Optional height-adjustable and swivel neck support in imitation leather, adjustment range 90 mm, tilt to front 25°- Coat hangers available individually or as a set with neck support
-----------------	---

Armrests	<ul style="list-style-type: none">- Ergonomically shaped plastic armrests (3211) for relieving stress in the shoulders and neck muscles, armrest support and armrest shaft colour depending on the model colour, armrest pad colour always in black- Optional height-adjustable plastic armrests (3611)- Optional 2D design armrests with PUR covers (3294), height-adjustable, movable pad- Optional 3D armrests with PUR covers (3914), height- and width-adjustable, movable pad, armrest support width adjustment (no tools required)- Optionally available 4D adjustable armrests with Softtouch pads (3414), height- and width-adjustable, movable pad, armrest support width adjustment (no tools required)
-----------------	--


Mechanism	<ul style="list-style-type: none">- Similar mechanism with automatic weight adjustment recognition with smooth force transmission in black- Optional Kinetic-Swing mechanism: Innovative kinematic motion concept without mechanical linkage for non-territorial areas of application. Ergonomically intuitive seat comfort without complicated adjustments by the user.- Optional Similar mechanism with individual weight adjustment with an opening angle of 18° in black- Optional Similar mechanism with individual weight adjustment and forward tilt up to 4°
------------------	---

Seat	<ul style="list-style-type: none">- Ergonomically and anatomically shaped 5-zone seat ensures even pressure distribution and long-lasting sitting comfort for any body size- Padded seat with PUR upholstery foam- Standard seat: foam thickness approx. 55 mm, upholstery thickness 55 mm- Comfort seat: foam thickness approx. 60 mm, upholstery thickness 60 mm- Optional sliding seat with seat depth 425 - 485/495 mm
-------------	--

Seat height-adjustment	<ul style="list-style-type: none">- Continuous gas spring height adjustment- Optional Sedo-lift mechanism III: complete cushioning of body weight, even in lowest seating position, no compression of the spine when sitting down provided by pneumatic interlock, completely free of wear and tear, mechanical failure or gas lift replacement- Optional gaslift for counter design with footring
-------------------------------	--

Base	<ul style="list-style-type: none">- 5-star plastic base in black or light grey- Optional 5-star aluminium base in black, polished or light grey- Hard or soft castors with 65 mm diameter
-------------	---

Counter design	<ul style="list-style-type: none">- Footring with 19 mm wide surface area, height-adjustable from 300 to 500 mm, diameter of 500 mm- Footring and gas spring in black, footring finish in brushed aluminium- Seat height 645 - 895 mm- Constantly braked castors for safe mounting with full mobility of the chair, always with soft covering for improved grip even on smooth floors, 65 mm diameter- Recommended for user weights up to 110 kg
-----------------------	--




Footring

User weight	<ul style="list-style-type: none">- Recommended for user weights up to 150 kg
--------------------	---

Warranty	<ul style="list-style-type: none">- 5 years (see guarantee terms)- 30 years for Sedo-lift mechanism (see guarantee terms)
-----------------	--

Sedus se:kit specification

► Swivel chair, backrest with upholstered backrest

Basic model	<ul style="list-style-type: none">- Upholstered backrest, 2D armrest with plastic covers, standard seat. Similar mechanism with automatic weight adjustment, gaslift. 5-star plastic base, model colour black, hard castors for soft flooring, with protection for castors
Backrest	<ul style="list-style-type: none">- Large, ergonomically shaped backrest, suitable for any body size- Upholstered backrest with fabrics and leather from the Sedus collection, back cover: Harlequin, for model black in black and for model colour light grey in light grey, upholstery thickness 45 mm.- Plastic frame in the selected model colour.- Height adjustment of backrest 70 mm (sn-102), lumbar height adjustment with additional depth adjustment available (sn-101/sn-103)- Optional height-adjustable and swivel neck support in imitation leather, adjustment range 90 mm, tilt to front 25°- Coat hangers available individually or as a set with neck support
Armrests	<ul style="list-style-type: none">- Ergonomically shaped plastic armrests (3211) for relieving stress in the shoulders and neck muscles, armrest support and armrest shaft colour depending on the model colour, armrest pad colour always in black- Optional height-adjustable plastic armrests (3611)- Optional 2D design armrests with PUR covers (3294), height-adjustable, movable pad- Optional 3D armrests with PUR covers (3914), height- and width-adjustable, movable pad, armrest support width adjustment (no tools required)- Optionally available 4D adjustable armrests with Softtouch pads (3414), height- and width-adjustable, movable pad, armrest support width adjustment (no tools required)
Mechanism	<ul style="list-style-type: none">- Similar mechanism with automatic weight adjustment recognition with smooth force transmission in black- Optional Kinetic-Swing mechanism: Innovative kinematic motion concept without mechanical linkage for non-territorial areas of application. Ergonomically intuitive seat comfort without complicated adjustments by the user.- Optional Similar mechanism with individual weight adjustment with an opening angle of 18° in black- Optional Similar mechanism with individual weight adjustment and forward tilt up to 4°
Seat	<ul style="list-style-type: none">- Ergonomically and anatomically shaped 5-zone seat ensures even pressure distribution and long-lasting sitting comfort for any body size- Padded seat with PUR upholstery foam- Standard seat: foam thickness approx. 55 mm, upholstery thickness 55 mm- Comfort seat: foam thickness approx. 60 mm, upholstery thickness 60 mm- Optional sliding seat with seat depth 425 - 485/495 mm
Seat height-adjustment	<ul style="list-style-type: none">- Continuous gas spring height adjustment- Optional Sedo-lift mechanism III: complete cushioning of body weight, even in lowest seating position, no compression of the spine when sitting down provided by pneumatic interlock, completely free of wear and tear, mechanical failure or gas lift replacement- Optional gaslift for counter design with footring
Base	<ul style="list-style-type: none">- 5-star plastic base in black or light grey- Optional 5-star aluminium base in black, polished or light grey- Hard or soft castors with 65 mm diameter
Counter design	<ul style="list-style-type: none">- Footring with 19 mm wide surface area, height-adjustable from 300 to 500 mm, diameter of 500 mm- Footring and gas spring in black, footring finish in brushed aluminium- Seat height 645 - 895 mm- Constantly braked castors for safe smooth floors, 65 mm diameter- Recommended for user weights up to 150 kg
	Footring
User weight	<ul style="list-style-type: none">- Recommended for user weights up to 150 kg
Warrenty	<ul style="list-style-type: none">- 5 years (see guarantee terms)- 30 years for Sedo-lift mechanism (see guarantee terms)

Sedus se:kit specification

► Swivel partner chair with membrane cover

Basic model	- Back covered with a 3D knitted membrane, 2D design armrests, standard seat, Kinetic- Swing mechanism, gaslift, 4-star aluminium base, model colour black, felt glides
--------------------	---

Backrest	- Large, ergonomically shaped backrest, suitable for any body size - Back covered with a 3D knitted membrane, air- and moisture-permeable, wrinkle free - Plastic frame in the selected model colour
-----------------	--

Armrests	- 2D design armrest with PUR covers, height-adjustable, movable pad
-----------------	---

Mechanism	- A forward (5°) and slight sideways rocking action encourages ergonomically beneficial changes of position and dynamic working styles - Automatic user weight recognition with smooth force transmission - Inactive quick adjustment - Support pressure of the becrest automatically adjusts to the user/body weight - Opening angle of the mechanism 18°
------------------	--

Seat	- Ergonomically and anatomically shaped 5-zone seat ensures even pressure distribution and long-lasting sitting comfort for any body size - Padded seat with PUR upholstery foam - Standard seat: foam thickness approx. 55 mm, upholstery thickness 55 mm - Comfort seat: foam thickness approx. 60 mm, upholstery thickness 60 mm
-------------	--

Seat height-adjustment	- Continuous gas spring height adjustment - Optional Sedo-lift mechanism III: complete cushioning of body weight, even in lowest seating position, no compression of the spine when sitting downprovided pneumatic interlock, completely free of wear and tear, mechanical failure or gas lift replacement
-------------------------------	---

Base	- 4-star aluminium base in black, polished or light grey, plastic / felt glides or hard / soft castors with 65 mm diameter - Optional 5-star aluminium base in black, polished or light grey, hard or soft castors with 65 mm diameter - Optional 5-star plastic base, in black or light grey, hard or soft castors with 65 mm diameter
-------------	---

User weight	- Recommended for user weights up to 150kg
--------------------	--

Warrenty	- 5 years (see guarantee terms) - 30 years for Sedo-lift mechanism (see guarantee terms)
-----------------	---

► Swivel partner chair with upholstered backrest

Basic model – Upholstered backrest, 2D design armrests, standard seat, Kinetic-Swing mechanism, gaslift, 4-star aluminium base, model colour black, felt glides

Backrest – Large, ergonomically shaped backrest, suitable for any body size
– Upholstered backrest with fabrics and leather from the Sedus collection, back cover: Harlequin, for model colour black in black and for model colour light grey in light grey, upholstery thickness 45 mm
– Plastic frame in the selected model colour

Armrests – 2D design armrest with PUR covers, height-adjustable, movable pad

Mechanism – A forward (5°) and slight sideways rocking action encourages ergonomically beneficial changes of position and dynamic working styles
– Automatic user weight recognition with smooth force transmission
– Inactive quick adjustment
– Support pressure of the backrest automatically adjusts to the user/body weight
– Opening angle of the mechanism 18°

Seat – Ergonomically and anatomically shaped 5-zone seat ensures even pressure distribution and long-lasting sitting comfort for any body size
– Padded seat with PUR upholstery foam
– Standard seat: foam thickness approx. 55 mm, upholstery thickness 55 mm
– Comfort seat: foam thickness approx. 60 mm, upholstery thickness 60 mm


Seat height-adjustment – Continuous gas spring height adjustment
– Optional Sedo-lift mechanism III: complete cushioning of body weight, even in lowest seating position, no

Base – 4-star aluminium base in black, polished or light grey, plastic / felt glides or hard / soft castors with 65 mm diameter
– Optional 5-star aluminium base in black, polished or light grey, hard or soft castors with 65 mm diameter
– Optional 3-star plastic base, in black or light grey, hard or soft castors with 65 mm diameter

User weight – Recommended for user weights up to 150 kg

Warranty – 5 years (see guarantee terms)
– 30 years for Sedo-lift mechanism (see guarantee terms)

► Visitor chairs

Backrest	<ul style="list-style-type: none">- Large, ergonomically shaped backrest, suitable for any body size- Upholstered backrest with fabrics and leather from the Sedus collection, back cover: Harlequin, for model colour black in black and for model colour light grey in light grey, upholstery thickness 45 mm- Plastic frame in the selected model colour
Shell	<ul style="list-style-type: none">- Ergonomically shaped seat shell
Armrests	<ul style="list-style-type: none">- Without armrests- Optionally standard armrests, armrest covers 170 x 35 mm, clear width 510 mm
Seat	<ul style="list-style-type: none">- Anatomically shaped seat surface with pelvis support, seat pan and rounded front edge of seat- Upholstery thickness 50 mm- Width 450 mm, depth 435 mm
Frame	<ul style="list-style-type: none">- Four-leg chair: steel tube (round tube) Ø 22 mm, wall thickness 2.0 mm, stackable max. 5 chairs with stacking trolley, stainless steel glides, plastic or felt glides as an option- Four-leg chair optionally with castors (Ø 37 mm), stackable up to 5 units on flat surface for storage- Cantilever chair: steel tube (round tube). Ø 22 mm, wall thickness 2.5 mm, not stackable or stackable max. 5 chairs, plastic or felt glides as an option
User weight	<ul style="list-style-type: none">- Recommended for user weights up to approx.
Standards /Certificates	<ul style="list-style-type: none">- GS label by TÜV Rheinland LGA Products GmbH / DIN EN 16139 L1 / DIN 4573- Tested for harmful substances by TÜV Rheinland LGA Products GmbH- QUALITY OFFICE quality seal- GREENGUARD certified- All available certificates can be found at:
	
Warrenty	<ul style="list-style-type: none">- 5 years (see guarantee terms)