



**X-FELT**  
Page 3-9



**Acoustic Felt Recycled PET**  
Page 21-25



**Wood Wool**  
Page 10-17



**Pulp**  
Page 18-20



**BAUX** IS FOUNDED  
ON THE BELIEF  
THAT BUILDING  
MATERIALS  
SHOULD BE  
SUSTAINABLE,  
SURPRISINGLY  
FUNCTIONAL AND  
REMARKABLY  
BEAUTIFUL.

## **CONTACT**

BAUX designs, produces and markets functional construction materials that meet the contemporary expectations of architects, engineers and builders – without compromising tomorrow’s safety and environmental standards.

We deliver globally from our factories in Sweden, USA and Australia.

For support, please contact BAUX HQ in Stockholm.

**BAUX HQ Stockholm**  
BAUX AB  
Sankt Eriksgatan 106  
113 31, Stockholm  
SWEDEN

[info@baux.com](mailto:info@baux.com)

[www.baux.com](http://www.baux.com)


+46 8 21 07 07

**BAUX Acoustic X-FELT delivers exceptional fire safety without the use of any fire treatment additives, preserving the product's sustainable integrity. By carefully selecting ultra-fine-, high-quality polyester fibres and precisely composing and processing the fibre mix, we have eliminated the key fire components: access to oxygen and fuel. This innovative approach ensures both superior fire safety and a commitment to environmental sustainability.**



**BAUX X-FELT  
PANELS**

**PLAIN**



All X-FELT PANELS are available in one size and two different thicknesses

A: 2800 mm  
B: 1000 mm  
Thickness: 12 or 25 mm

**STRAIGHT  
Widestripe**



**RIPPLE [R]  
Widestripe**




**RIPPLE [L]  
Widestripe**




**WAVE  
Widestripe**



**FLOW  
Widestripe**




**STRAIGHT  
Pinstripe**



**RIPPLE [R]  
Pinstripe**




**RIPPLE [L]  
Pinstripe**



**WAVE  
Pinstripe**



**FLOW  
Pinstripe**



# BAUX X-FELT TILES

**PLAIN**



— B —

|  
A  
|

**All X-FELT TILES are available in two different sizes and thicknesses**

**Concealed Install (with bevelled edge)**

A: 600 mm

B: 600 mm

Thickness: 12 or 25 mm

**Exposed Install (with square edge)**

A: 593 mm

A: 593 mm

Thickness: 12 or 25 mm

**STRAIGHT  
Widestripe**



— B —

**RIPPLE [R]  
Widestripe**




— B —

**RIPPLE [L]  
Widestripe**




— B —

**WAVE  
Widestripe**



— B —

**FLOW  
Widestripe**



— B —

|  
A  
|

**STRAIGHT  
Pinstripe**



— B —

**RIPPLE [R]  
Pinstripe**



— B —

**RIPPLE [L]  
Pinstripe**



— B —

**WAVE  
Pinstripe**



— B —

**FLOW  
Pinstripe**




— B —


|  
A  
|

## BAUX X-FELT COLOURS


Producing X-FELT typically creates a slightly marbled look, blending multiple shades. Small colour variations are normal when working with this sustainable material.



01 Mono Chalk Grey



02 Mono Granite Grey



03 Mono Ash Black




04 Duo Sand & Grey



05 Duo Brown Sand & Black




06 Duo Grass & Grey



07 Duo Sky Blue & Black



08 Duo Deep Waters & Grey



09 Duo Red Clay & Grey



# PRICELIST SEK

01 02 03



## BAUX X-FELT (MONO COLOURS 01-03)

All prices stated in SEK excluding VAT.

Delivery term EXW factory in Sweden (DAP/DDU prices proposed on request).

Below prices are valid for the following colours: Mono Chalk Grey, Mono Granite Grey and Mono Ash Black.

BAUX X-FELT (Mono Colours, 12 mm thickness)								
Product		Measurement per item			Price (EXW factory)			
		w: mm	h: mm	t: mm	#	m2	SEK	~SEK/m2
PANELS 12 mm	PLAIN	1000	2800	12	2 pieces	5,6	7 950	1 420
	STRAIGHT	1000	2800	12	2 pieces	5,6	8 240	1 471
	RIPPLE	1000	2800	12	2 pieces	5,6	9 080	1 621
	WAVE	1000	2800	12	2 pieces	5,6	9 080	1 621
	FLOW	1000	2800	12	2 pieces	5,6	9 920	1 771
TILES 12 mm CONCEALED	PLAIN	600	600	12	12 pieces	4,3	8 620	1 995
	STRAIGHT	600	600	12	12 pieces	4,3	10 470	2 424
	RIPPLE	600	600	12	12 pieces	4,3	10 470	2 424
	WAVE	600	600	12	12 pieces	4,3	10 470	2 424
	FLOW	600	600	12	12 pieces	4,3	10 470	2 424
TILES 12 mm EXPOSED	PLAIN	593	593	12	15 pieces	5,4	9 410	1 743
	STRAIGHT	593	593	12	15 pieces	5,4	11 820	2 189
	RIPPLE	593	593	12	15 pieces	5,4	11 820	2 189
	WAVE	593	593	12	15 pieces	5,4	11 820	2 189
	FLOW	593	593	12	15 pieces	5,4	11 820	2 189

NOTE: Same price for Widestripe and Pinstripe

BAUX X-FELT (Mono Colours, 25 mm thickness)								
Product		Measurement per item			Price (EXW factory)			
		w: mm	h: mm	t: mm	#	m2	SEK	~SEK/m2
PANELS 25 mm	PLAIN	1000	2800	25	2 pieces	5,6	9 890	1 766
	STRAIGHT	1000	2800	25	2 pieces	5,6	10 210	1 823
	RIPPLE	1000	2800	25	2 pieces	5,6	11 170	1 995
	WAVE	1000	2800	25	2 pieces	5,6	11 170	1 995
	FLOW	1000	2800	25	2 pieces	5,6	12 130	2 166
TILES 25 mm CONCEALED	PLAIN	600	600	25	12 pieces	4,3	10 330	2 391
	STRAIGHT	600	600	25	12 pieces	4,3	12 440	2 880
	RIPPLE	600	600	25	12 pieces	4,3	12 440	2 880
	WAVE	600	600	25	12 pieces	4,3	12 440	2 880
	FLOW	600	600	25	12 pieces	4,3	12 440	2 880
TILES 25 mm EXPOSED	PLAIN	593	593	25	15 pieces	5,4	11 350	2 102
	STRAIGHT	593	593	25	15 pieces	5,4	14 110	2 613
	RIPPLE	593	593	25	15 pieces	5,4	14 110	2 613
	WAVE	593	593	25	15 pieces	5,4	14 110	2 613
	FLOW	593	593	25	15 pieces	5,4	14 110	2 613

NOTE:  
Same price for Widestripe and Pinstripe.  
Panels and Tiles with 25mm thickness are subject to a MOQ of ~250 square meters per colour.



# PRICELIST SEK

## BAUX X-FELT (DUO COLOURS 04-09)



All prices stated in SEK excluding VAT.

Delivery term EXW factory in Sweden (DAP/DDU prices proposed on request).

Below prices are valid for the following colours: Duo Sand & Grey, Duo Brown Sand & Black, Duo Grass & Grey, Duo Sky Blue & Black, Duo Deep Waters & Grey and Duo Red Clay & Grey

BAUX X-FELT (Duo Colours, 12 mm thickness)								
Product		Measurement per item			Price (EXW factory)			
		w: mm	h: mm	t: mm <sup>1</sup>	#	m2	SEK	~SEK/m2
PANELS 12 mm	PLAIN	1000	2800	12	2 pieces	5,6	10 570	1 888
	STRAIGHT	1000	2800	12	2 pieces	5,6	10 920	1 950
	RIPPLE	1000	2800	12	2 pieces	5,6	11 740	2 096
	WAVE	1000	2800	12	2 pieces	5,6	11 740	2 096
	FLOW	1000	2800	12	2 pieces	5,6	12 600	2 250
TILES 12 mm CONCEALED	PLAIN	600	600	12	12 pieces	4,3	11 310	2 618
	STRAIGHT	600	600	12	12 pieces	4,3	13 240	3 065
	RIPPLE	600	600	12	12 pieces	4,3	13 240	3 065
	WAVE	600	600	12	12 pieces	4,3	13 240	3 065
	FLOW	600	600	12	12 pieces	4,3	13 240	3 065
TILES 12 mm EXPOSED	PLAIN	593	593	12	15 pieces	5,4	11 820	2 189
	STRAIGHT	593	593	12	15 pieces	5,4	14 140	2 619
	RIPPLE	593	593	12	15 pieces	5,4	14 140	2 619
	WAVE	593	593	12	15 pieces	5,4	14 140	2 619
	FLOW	593	593	12	15 pieces	5,4	14 140	2 619


NOTE: Same price for Widestripe and Pinstripe

BAUX X-FELT (Duo Colours, 25 mm thickness)								
Product		Measurement per item			Price (EXW factory)			
		w: mm	h: mm	t: mm	#	m2	SEK	~SEK/m2
PANELS 25 mm	PLAIN	1000	2800	25	2 pieces	5,6	12 890	2 302
	STRAIGHT	1000	2800	25	2 pieces	5,6	13 290	2 373
	RIPPLE	1000	2800	25	2 pieces	5,6	14 220	2 539
	WAVE	1000	2800	25	2 pieces	5,6	14 220	2 539
	FLOW	1000	2800	25	2 pieces	5,6	15 200	2 714
TILES 25 mm CONCEALED	PLAIN	600	600	12	12 pieces	4,3	13 400	3 102
	STRAIGHT	600	600	12	12 pieces	4,3	15 620	3 616
	RIPPLE	600	600	12	12 pieces	4,3	15 620	3 616
	WAVE	600	600	12	12 pieces	4,3	15 620	3 616
	FLOW	600	600	12	12 pieces	4,3	15 620	3 616
TILES 25 mm EXPOSED	PLAIN	593	593	12	15 pieces	5,4	14 110	2 613
	STRAIGHT	593	593	12	15 pieces	5,4	16 750	3 102
	RIPPLE	593	593	12	15 pieces	5,4	16 750	3 102
	WAVE	593	593	12	15 pieces	5,4	16 750	3 102
	FLOW	593	593	12	15 pieces	5,4	16 750	3 102

NOTE:  
Same price for Widestripe and Pinstripe.  
Panels and Tiles with 25mm thickness are subject to a MOQ of ~250 square meters per colour.

# X-FELT TILES - SPECIFICATIONS GUIDE

## SELECT CEILING OR WALL?



BAUX Acoustic X-FELT Tiles are designed for easy installation into standard suspended ceiling T-grids. BAUX offers lay-in tiles that fit both 600x600 mm grids and 2.0x2.0 ft grids.

Read BAUX installation document for details.

BAUX Acoustic X-FELT Tiles can be directly fixed to Ceilings or Walls using a commercial adhesive. It is the installer's responsibility to ensure that the adhesive is suitable for both the product and the wall or ceiling surface.

Read BAUX installation document for details.

### X-FELT Tiles for Exposed Ceiling Install

	Code	Edge	Size
Metric	ES4s.EU-t12	Square	593 x 593 x 12 mm
	ES4s.EU-t25	Square	593 x 593 x 25 mm

### X-FELT Tiles for Walls or Concealed Ceiling Install


	Code	Edge	Size
Metric	CB4s.EU-t12	45° bevel	600 x 600 x 12 mm
	CB4s.EU-t25	45° bevel	600 x 600 x 25 mm

Wood Wool is a functional, natural material. BAUX Acoustic Wood Wool is made from two of the world's oldest building materials, wood and cement. The combination is simple and ingenious. Wood fibre offers excellent insulation, heat retention and sound absorption. Cement, a proven and popular building material, is the binder that provides strength, moisture resistance and fire protection. Therefore, BAUX Acoustic products are versatile and durable in all climates.



# Acoustic Wood Wool TILES

**3D Pixel**



A: 290 mm  
B: 290 mm

Thickness:



25 mm



50 mm



70 mm

**Hexagon**



**Small**  
A: 250 mm  
B: 290 mm  
Thickness: 25 mm

**Large**  
A: 500 mm  
B: 580 mm  
Thickness: 25 mm


**Square**



**Small**  
A: 290 mm  
B: 290 mm  
Thickness: 25 mm

**Large**  
A: 580 mm  
B: 580 mm  
Thickness: 25 mm

**Quarter Circle**



**Small**  
A: 290 mm  
B: 290 mm  
Thickness: 25 mm

**Large**  
A: 580 mm  
B: 580 mm  
Thickness: 25 mm

**Triangle**



**Small**  
A: 290 mm  
B: 290 mm  
Thickness: 25 mm

**Large**  
A: 580 mm  
B: 580 mm  
Thickness: 25 mm

# Acoustic Wood Wool TILES

## Parallelogram




Two options: left and right ⇄

**Small**  
A: 290 mm  
B: 580 mm  
Thickness: 25 mm

**Large**  
A: 580 mm  
B: 1160 mm  
Thickness: 25 mm

## Circle



**Small**  
A: 290 mm  
B: 290 mm  
Thickness: 25 mm

**Large**  
A: 580 mm  
B: 580 mm  
Thickness: 25 mm

## Plank



**Small**  
A: 145 mm  
B: 580 mm  
Thickness: 25 mm

**Large**  
A: 290 mm  
B: 1160 mm  
Thickness: 25 mm

## Rectangle



**Small**  
A: 290 mm  
B: 580 mm  
Thickness: 25 mm

**Large**  
A: 580 mm  
B: 1160 mm  
Thickness: 25 mm

# Acoustic Wood Wool PANELS

Diagonal



Two options: left and right ↔

Stripes



Lines



Check



Quilted



Curve



Two options: left and right ↔

Arch



**All Panels**  
A: 580 mm  
B: 1160 mm  
Thickness: 25 mm

# Acoustic Wood Wool CEILING

**Flat**



A: 600 mm  
B: 1200 mm  
Thickness: 25 mm

BAUX Ceiling Panels can be delivered to fit either a Concealed or Exposed Grid.

**Widestripe**



A: 600 mm  
B: 1200 mm  
Thickness: 25 mm

BAUX Ceiling Panels can be delivered to fit either a Concealed or Exposed Grid.

**Pinstripe**



A: 600 mm  
B: 1200 mm  
Thickness: 25 mm

BAUX Ceiling Panels can be delivered to fit either a Concealed or Exposed Grid.



# PRICELIST SEK

## BAUX ACOUSTIC WOOD WOOL

All prices stated in SEK excluding VAT.

Delivery term EXW factory in Sweden.

Painting of BAUX Acoustic Wood Wool Panels and Tiles with indoor paint and BAUX colour collection included.

### BAUX Acoustic WOOD WOOL – TILES & PANELS

Product	Measurements			Area pieces/m2	Excluding magnet		Incl. magnet SEK/piece
	w: mm	h: mm	t: mm		SEK/piece	~SEK/m2	
3D Pixel <sup>1</sup>	290	290	25/50/70	11,89	391	4 645	485
3D Square t25	290	290	25	11,89	295	3 508	389
3D Square t50	290	290	50	11,89	405	4 816	499
3D Square t70	290	290	70	11,89	472	5 612	566
Mini Hexagon	220	190	25	31,29	117	3 722	164
Small Hexagon	290	250	25	17,82	191	3 497	238
Small Quarter Circle	290	290	25	11,89	295	3 508	389
Small Square	290	290	25	11,89	295	3 508	389
Small Triangle	290	290	25	23,78	148	3 520	195
Small Parallel.	290	580	25	11,89	295	3 508	389
Small Circle	290	290	25	15,14	229	3 467	276
Small Plank	580	145	25	11,89	295	3 508	389
Small Rectangle	580	290	25	5,95	587	3 490	681
Large Hexagon	580	500	25	4,45	495	2 265	636
Large Quarter Circle	580	580	25	2,97	765	2 274	953
Large Square	580	580	25	2,97	765	2 274	953
Large Triangle	580	580	25	5,95	382	2 271	523
Large Parallel.	580	1160	25	2,97	765	2 274	1 000
Large Circle	580	580	25	3,78	601	2 275	742
Large Plank	1160	290	25	2,97	765	2 274	906
Large Rectangle	1160	580	25	1,49	1 048	1 558	n.a.
Panels (all patterns)	1160	580	25	1,49	1 074	1 596	n.a.

1) Price for a 3D tile wall with equal mix of three different thicknesses - 25mm, 50mm and 70mm.

### BAUX Acoustic WOOD WOOL – CEILING

Product <sup>3</sup>	Measurements <sup>2</sup> mm or feet	Area pieces/m2	Price		
			SEK/piece	~SEK/m2	
Natur (omålad)	Flat	1200x600x25 mm	1,39	240	333
	Widestripe	1200x600x25 mm	1,39	423	588
	Pinstripe	1200x600x25 mm	1,39	423	588
Målad Vit	Flat	1200x600x25 mm	1,39	307	426
	Widestripe	1200x600x25 mm	1,39	501	696
	Pinstripe	1200x600x25 mm	1,39	501	696
Målad i annan BAUX kulör	Flat	1200x600x25 mm	1,39	377	524
	Widestripe	1200x600x25 mm	1,39	578	803
	Pinstripe	1200x600x25 mm	1,39	578	803

2) Also available for Exposed Lay-In grid dimensions "iläggsmått"

3) All ceiling products are available in different dimensions and edge designs to fit various installation methods, see table below. Same price for all codes.

CODE	EXPLANATION
CT2s.EU	Concealed Grid, Tegular Edge 2 sides, EU.600x1200mm
ET2s.EU	Exposed Lay-In, Tegular Edge 2 sides, EU.593x1193mm
ET4s.EU	Exposed Lay-In, Tegular Edge 4 sides, EU.593x1193mm
CB4s.EU	Concealed Grid, Bevelled Edge 4 sides, EU.600x1200mm (ONLY FLAT)
	Dolt bärverk, L-kant 2 sidor, 600x1200mm
	Synligt bärverk, L-kant 2 sidor, 593x1193mm
	Synligt bärverk, L-kant 4 sidor, 593x1193mm
	Dolt bärverk, fasad kant 4 sidor, 600x1200 mm (Endast FLAT)

# PRICELIST SEK

## BAUX ACOUSTIC WOOD WOOL – INSTALLATION ACCESSORIES ETC.

All prices stated in SEK excluding VAT.

Delivery term SEK factory in Sweden.

BAUX Acoustic WOOD WOOL – Installation Accessories							
Product		Measurements & amounts			Area (m2/piece)	Price (EXW)	
						SEK/piece	~SEK/m2
Glue	Bostik A785 High Grip Deco (or equal)	280 ml			1,5 - 1,7 m2/tube	183	114
Short Screws	Screw Short - Unpainted	Length 45 mm Box with 100 pcs			See installation manual	309	---
	Screw Short - Painted Natural				See installation manual	348	---
	Screw Short - Painted White				See installation manual	348	---
Long Screws	Screw Long - Unpainted	Length 75 mm Box with 100 pcs			See installation manual	471	---
	Screw Long - Painted Natural				See installation manual	510	---
	Screw Long - Painted White				See installation manual	510	---
Metal Sheets & Magnets	Metal Sheets <sup>1</sup>	w: 500 mm	h: 1000 mm	t: 1 mm	0,5 m2/pc	536	1 072
	Standard Cassette <sup>2</sup>	w: 690 mm	h: 1120 mm	t: 20 mm	0,77 m2/pc	2 789	3 609
	Magnet	---	---	---	---	47	---
Paint	Touch Up Paint	100 ml			0,3-0,5 m2/can	44	---
	Paint	1 litre			3 - 5 m2/can	518	104

1) White painted metal sheet.

2) 0,7mm galvanized, white powder coated with perforation

### Custom Shapes and Custom Colours

Special Requirement	Description	Price	
Custom shape wood wool	Setup fee to create a custom shape, only valid for orders < 150 m2	5 154	SEK/shape
Outdoor paint fee	For outdoor usage an extra fee will be charged for the outdoor paint needed	150	SEK/m2
Custom colour fee wood wool	For custom colour orders less than < 25 m2	4 286	SEK/colour
Custom colour fee screws	Setup fee to get screws with painted head in a custom colour	2 344	SEK/colour
Custom colour fee touch up	Setup fee to get custom colour touch up paint (100ml)	163	SEK/colour
Custom colour fee paint	Setup fee to get custom colour paint (1 litre)	518	SEK/colour


The new 100% bio-based BAUX Acoustic Pulp panel is the first in the world to uncompromisingly combine the performance properties of sound absorption, safety and durability with sustainability and modern aesthetics. The result is a restful and sustainable acoustical environment for residential buildings, industrial premises and public spaces that calls us back to the harmonizing pulse of nature. Harmless for us, harmless for the environment. It's nothing short of an acoustical revolution.

This is BAUX Acoustic Pulp.




# Acoustic Pulp ORIGAMI PANELS

Origami Energy



A: 500 mm  
B: 1000 mm  
Thickness: 20 mm

Origami Pulse



A: 500 mm  
B: 1000 mm  
Thickness: 20 mm


Origami Sense



A: 500 mm  
B: 1000 mm  
Thickness: 20 mm



Front side of panel (ENERGY)



Back side of panel

# PRICELIST SEK

## BAUX ACOUSTIC PULP

All prices stated in SEK excluding VAT.

Delivery term EXW factory in Sweden.

BAUX Acoustic PULP						
Product	Measurements <sup>2</sup>			Area pieces/m <sup>2</sup>	Price (EXW factory)	
	w: mm	h: mm	t: mm		SEK	~SEK/m <sup>2</sup>
Origami 50x100 – Bio Natural Wheat Box with 6 panels <sup>1</sup>	500	1000	20	2,0	8 034 (1 339 SEK/panel)	2 678
Origami 50x100 – Bio Colours Box with 6 panels <sup>1</sup>	500	1000	20	2,0	10 197 (1 700 SEK/panel)	3 399

1) One box contain 6 panels in one of the variants: Energy, Pulse or Sense. All panels in a box have same colour, i.e. a box can't have mixed colours.

2) Some dimension tolerance should be expected since the material is organic.

BAUX Acoustic PULP - Accessories				
Product	Measurements	Area	Price (SEK)	
	ml	m <sup>2</sup> /tube	SEK/st.	~SEK/m <sup>2</sup>
Adhesive Tube	280	1,5 - 1,7 m <sup>2</sup> /tube	183	114

The excess of unwanted plastics in the world is obvious, only a small fragment is recycled and reused into new products, a devastatingly big amount is still going to the landfill or burned to generate energy.


BAUX Recycled PET products are made from GRS certified and IOAS accredited recycled PET bottles sourced from recycling entities across Europe.

Because origin is important.



**Acoustic FELT Recycled PET  
FLOOR SCREENS AND WALL PANELS**

**Felt Recycled PET 140x120**




A: 1400 mm  
B: 1200 mm  
Thickness: 16 mm (panel),  
36 mm (holes)

Set of 2 floor stands needed.

Acoustic Felt Recycled PET  
140x120 is also available as a  
wall panel, consult BAUX for details


**Felt Recycled PET 120x120**



A: 1200 mm  
B: 1200 mm  
Thickness: 16 mm (panel),  
36 mm (holes)

Set of 2 floor stands needed.


**Felt Recycled PET 70x120**



A: 700 mm  
B: 1200 mm  
Thickness: 16 mm (panel),  
36 mm (holes)

1 single floor stand needed.

**Floor Stand**




A: 350 mm (diameter base)  
B: 300 mm (visible height after install)




**Acoustic FELT Recycled PET  
TABLE SCREENS**

**Felt Recycled PET 140x60**




A: 1400 mm  
B: 600 mm  
Thickness: 16 mm (panel), 36 mm (holes)  
Set of 2 claps or table stands needed.

**Felt Recycled PET 140x40**




A: 1400 mm  
B: 400 mm  
Thickness: 16 mm (panel), 36 mm (holes)  
Set of 2 claps or table stands needed.

**Felt Recycled PET 120x60**




A: 1200 mm  
B: 600 mm  
Thickness: 16 mm (panel), 36 mm (holes)  
Set of 2 claps or table stands needed.

**Felt Recycled PET 120x40**




A: 1200 mm  
B: 400 mm  
Thickness: 16 mm (panel), 36 mm (holes)  
Set of 2 claps or table stands needed.

**Felt Recycled PET 70x60**



A: 700 mm  
B: 600 mm  
Thickness: 16 mm (panel), 36 mm (holes)  
Set of 2 claps or 1-2 table stands needed.

**Felt Recycled PET 70x40**



A: 700 mm  
B: 400 mm  
Thickness: 16 mm (panel), 36 mm (holes)  
Set of 2 claps or 1-2 table stands needed.

**Table Stand**



d150 mm

**Table Clamp Top**



Suitable for tables that are  
12-50 mm

295 x 50 x 32 mm

**Table Clamp Side**



Suitable for tables that are  
12-50 mm

320 x 100 x 32 mm

# PRICELIST SEK

## BAUX ACOUSTIC FELT – RECYCLED PET (GREY SCALE)

Light Grey

Grey

Dark grey

All prices stated in SEK excluding VAT.

Delivery term SEK factory in Sweden.

Below prices are valid for Light Grey, Grey and Dark Grey screens.

### BAUX Acoustic FELT – Recycled PET - Screens and Accessories

Product		Measurement per screen			Price (EXW factory)			
		w: mm	h: mm	t: mm <sup>1</sup>	#	SEK	#	SEK
Table Screens	Acoustic Felt Recycled PET (Grey Scale), 70x40	700	400	16/36	Box 6 screens	6 633	1 scrn	1 356
	Acoustic Felt Recycled PET (Grey Scale), 120x40	1180	400	16/36	Box 3 screens	6 024	1 scrn	2 308
	Acoustic Felt Recycled PET (Grey Scale), 140x40	1400	400	16/36	Box 3 screens	6 362	1 scrn	2 471
	Acoustic Felt Recycled PET (Grey Scale), 70x60	700	600	16/36	Box 4 screens	6 227	1 scrn	1 907
	Acoustic Felt Recycled PET (Grey Scale), 120x60	1180	600	16/36	Box 2 screens	6 136	1 scrn	3 418
	Acoustic Felt Recycled PET (Grey Scale), 140x60	1400	600	16/36	Box 2 screens	6 813	1 scrn	3 797
Floor Screens	Acoustic Felt Recycled PET (Grey Scale), 70x120	700	1200	16/36	Box 2 screens	6 813	1 scrn	3 797
	Acoustic Felt Recycled PET (Grey Scale), 120x120	1180	1200	16/36	Box 1 screen	6 114	---	---
	Acoustic Felt Recycled PET (Grey Scale), 140x120 <sup>2</sup>	1400	1200	16/36	Box 1 screen	6 362	---	---

Hardware	Box 2 pcs - Table Clamp Top, h295	50	295	---	One pair	897
	Box 2 pcs - Table Clamp Side, h320	100	320	---	One pair	1 233
	Box 2 pcs - Table Stand, d150	150	193	---	One pair	1 233
	Box 2 pcs - Floor Stand, d350	350	891	---	One pair	2 914
	Floor Stand - Single, d350	350	891	---	Single	1 457

1) The screen material is 16 mm thick. Over the hardware holes, the panel is 36mm thick.

2) Acoustic Felt 140x120 is also available as a wall panel, consult BAUX for details.


# PRICELIST SEK

## BAUX ACOUSTIC FELT – RECYCLED PET (COLOUR SCALE)

All prices stated in SEK excluding VAT.

Delivery term SEK factory in Sweden.

Below prices are valid for Khaki, Coral red and Jade green screens.



### BAUX Acoustic FELT – Recycled PET COLOUR SCALE) - Screens and Accessories

Product		Measurement per screen			Price (EXW factory)			
		w: mm	h: mm	t: mm <sup>1</sup>	#	SEK	#	SEK
Table Screens	Acoustic Felt Recycled PET (Colour Scale), 70x40	700	400	16/36	Box 6 screens	8 934	1 scrn	1 739
	Acoustic Felt Recycled PET (Colour Scale), 120x40	1180	400	16/36	Box 3 screens	7 919	1 scrn	2 940
	Acoustic Felt Recycled PET (Colour Scale), 140x40	1400	400	16/36	Box 3 screens	8 392	1 scrn	3 147
	Acoustic Felt Recycled PET (Colour Scale), 70x60	700	600	16/36	Box 4 screens	8 212	1 scrn	2 403
	Acoustic Felt Recycled PET (Colour Scale), 120x60	1180	600	16/36	Box 2 screens	8 302	1 scrn	4 501
	Acoustic Felt Recycled PET (Colour Scale), 140x60	1400	600	16/36	Box 2 screens	8 663	1 scrn	4 722
Floor Screens	Acoustic Felt Recycled PET (Colour Scale), 70x120	700	1200	16/36	Box 2 screens	8 663	1 scrn	4 722
	Acoustic Felt Recycled PET (Colour Scale), 120x120	1180	1200	16/36	Box 1 screen	8 212	---	---
	Acoustic Felt Recycled PET (Colour Scale), 140x120 <sup>3</sup>	1400	1200	16/36	Box 1 screen	8 415	---	---

Hardware	Box 2 pcs - Table Clamp Top, h295	50	295	---	One pair	897
	Box 2 pcs - Table Clamp Side, h320	100	320	---	One pair	1 233
	Box 2 pcs - Table Stand, d150	150	193	---	One pair	1 233
	Box 2 pcs - Floor Stand, d350	350	891	---	One pair	2 914
	Floor Stand - Single, d350	350	891	---	Single	1 457

1) The screen material is 16 mm thick. Over the hardware holes, the panel is 36mm thick. Wall panel is 8mm thick and stands out max 18 mm from the wall.

2) Extended Colours are available with a minimum order quantity of 130 m<sup>2</sup> of panels, priced equivalently to Khaki, Coral Red, and Jade Green options.

3) Acoustic Felt 140x120 is also available as a wall panel, consult BAUX for details.

**BAUX**

Let's build!

[www.baux.com](http://www.baux.com)